


A full-page photograph of a construction worker in a dark industrial setting. The worker is wearing a white hard hat, clear safety glasses, a high-visibility yellow safety vest over a black polo shirt, and black and yellow work gloves. He is focused on his work, using a pneumatic jackhammer on a metal surface. The background is dark and out of focus, with some industrial equipment visible.

REBEL

S A F E T Y G E A R



AFRICA'S HARDEST WORKING BOOTS

 www.rebelsafetygear.com

SAFETY FOOTWEAR
TRADITIONAL RANGE

REBEL
SAFETY GEAR

CODE RE811 | SIZES 2-16
CHUKKA BOOT



S1

CODE RE811-BR | SIZES 2-15
CHUKKA BOOT



S1

CODE RE380 | SIZES 2-14
CHUKKA SHOE



S1

CODE RE480BK | SIZES 3-13
ANVIL CHELSEA BOOT



S1

CODE RE480BR | SIZES 3-13
ANVIL CHELSEA BOOT



S1

CODE RE128 | SIZES 3-14
KONTRAKTA BOOT



SB

CODE RE128-S | SIZES 3-13
KONTRAKTA SHOE



SB

CODE FX2-S1P | SIZES 2-14
FX2 SAFETY BOOT



S1P 

SAFETY FOOTWEAR

TRADITIONAL RANGE

REBEL

SAFETY GEAR

CODE FX2-S | SIZES 2-13

FX2 SAFETY SHOE



S1

CODE FX2-CB-S1P | SIZES 3-13

FX2 CHELSEA BOOT



S1P



CODE FX2-CB-BR | SIZES 3-13

FX2 CHELSEA BOOT



S1P



CODE RE304-BK | SIZES 3-13

HIKER HI



S1

CODE RE304 | SIZES 2-14

HIKER HI



S1

CODE RE303-BK | SIZES 3-13

HIKER LO



S1

CODE RE508 | SIZES 2-12

WORKPRO



NST

SAFETY FOOTWEAR

REBELLION RANGE

REBEL

SAFETY GEAR

CODE RE18312 | SIZES 4-12

GREY WOLF



S1



SOLES
BY



CODE RE942 | SIZES 5-13

MEN'S LIGHT INDUSTRIAL



CODE RE942V2 | SIZES 2-13

**UNISEX LIGHT INDUSTRIAL
V 2.0**



CODE RE652-BK | SIZES 4-13

CRAZY HORSE BLACK



CODE RE652-BR | SIZES 2-14

CRAZY HORSE BROWN



CODE RE0808 | SIZES 4-13

ENDURO-MAX



CODE RE424-BK | SIZES 3-13

EXPEDITION HI



CODE RE651-BK | SIZES 4-13

HAVOC BLACK



CODE RE651-BR | SIZES 4-13

HAVOC BROWN



CODE RE424-BR | SIZES 4-13

EXPEDITION HI



CODE RE425-BK | SIZES 4-13

EXPEDITION LO



CODE RE420-BR | SIZES 4-13

HI TOP BROWN BOOT



CODE RE420-BK | SIZES 4-13

HI TOP BLACK BOOT



CODE RE203-BK | SIZES 4-13

CLASSIC WORK SHOE



CODE RE652-TA | SIZES 4-13

CRAZY HORSE TAN



CODE RE429-CH | SIZES 4-13

LO TOP SAFETY SHOE



CODE RE429-BK | SIZES 4-13

LO TOP BLACK SAFETY SHOE



CODE FX2-MT-S1P | SIZES 3-13

FX2 METATARSAL BOOT



CODE RE811-S3 | SIZES 3-13

S3 CHUKKA BOOT

S3



CODE RE811-HRO | SIZES 3-12

HRO CHUKKA BOOT

HRO



CODE GLO830-S1P | SIZES 3-13

NON-METALLIC BOOT



CODE RE655072-BK | SIZES 4-14

THERMOTRAK HI



CODE RE5174 | SIZES 3-13

JIGGA



CODE RE210-S3 | SIZES 4-13

CHEMITRAK S3 BOOT



CODE GL068GY | SIZES 3-13

HYGIENE BOOT



CODE RE436BK | SIZES 3-13

APEX BOOT



CODE RE912 | SIZES 4-13

RIGGER BOOT



CODE RE954 | SIZES 4-14

MINER




CODE RE911-S3 | SIZES 3-15

BLACK HAWK S3



CODE RE801 | SIZES 3-13

GLIDER



SAFETY FOOTWEAR
LADIES RANGE

REBEL
SAFETY GEAR

CODE RE129 | SIZES 2-8
NALA



S1

CODE RE940 | SIZES 2-8
THULI



S1

CODE RE974 | SIZES 2-8
ZARI



S1

CODE RE941 | SIZES 2-8
LADIES LIGHT INDUSTRIAL



S1

CODE RE941V2 | SIZES 2-8
LADIES LIGHT INDUSTRIAL V 2.0



S1

CODE RE683 | SIZES 2-8
KITO



S1

CODE RE22107 | SIZES 2-8
LADIES RUGGED BOOT



S3



CODE RE682 | SIZES 2-8
IMAN



S1



SAFETY FOOTWEAR
ACCESSORIES

REBEL
SAFETY GEAR

CODE REOV5 | SIZES 2-13+
OVERSHOE



SMALL (2-5) 
MEDIUM (6-9) 
LARGE (10-13+) 

CODE REBFB01 | SIZES 3-13
STANDARD FOOTBED



CODE REBFB02 | SIZES 2-14
PLATINUM FOOTBED



CODE REBFB03 | SIZES 7-13
URBAN RETRO FOOTBED



CODE REBFB04 | SIZES 3-12
CRUIZA COMFORT FOOTBED



CODE SOCKSGY-S/L | SIZES 4-13
REBEL SOCKS





SAFETY FOOTWEAR

TECHNICAL FEATURE GUIDELINES

REBEL Safety Gear work boots and shoes are designed and manufactured to comply with local and international safety regulations and standards, REBEL footwear is certified to both ISO 20345:2011 and are NRCS approved. The classification systems used to identify the protection provided by our footwear is listed below:

SB	Basic requirements for safety footwear with 200 J toecap for impact & compression.
S1	200 J toecap, closed seat region, anti-static properties, energy absorption at the seat region.
S1P	As S1 + penetration resistance.
S2	As S1 + water resistance.
S3	As S2 + penetration resistance.

Added protection can be provided and is identified on the product by it's marking:

- HRO = Sole resistant to hot contact of 300°C for 60 seconds
- P = Penetration resistance: 1100 Newton's
- M = Metatarsal protection
- WR = Water resistance
- SRA = Slip resistance – tested on a ceramic surface
- SRB = Slip resistance – tested on a metal surface
- SRC = Slip resistance – tested on ceramic and metal surfaces

Please refer to the tongue label to identify the specific safety and protection properties built-in to your pair of REBEL boots or shoes. It is important that the specific style and size of boot or shoe selected for use meets requirements for the environment and application in which it will be used.

Where the environment is not known, it is very important that consultation is carried out between the seller and the purchaser to ensure, where possible, the correct footwear is provided.

Electrostatic Discharge (ESD)

Anti-static (S1) shoes only offer a limited ability to allow charge to flow through them. ESD shoes have a sole that is more conductive, and thus offer a greater ability for charge to flow through them.

ESD shoes are the footwear of choice in an environment such as an electrical assembly plant, where a small electrostatic charge from the wearer onto a sensitive circuit board may damage the circuit board. The worker would wear an ESD pair of shoes to ensure that all the static build-up gets dissipated into the ground, and not through any other part of his or her body, such as hands.

SAFETY FOOTWEAR CARE GUIDELINES

REBEL safety footwear has been designed and manufactured to be worn in most industrial areas, although extreme temperatures, environments and conditions will shorten the footwear's lifespan.

It is important to take time to care for your safety footwear. Proper care will add to the lifespan of your footwear, it should ensure that the maximum comfort level is maintained for longer, and that hygienically, your shoes or boots do not contribute to health problems.

Lifespan of safety footwear

There is no set guide for how long your footwear will last. It depends on the environment in which it has been used and stored.

Storing footwear and the risk of Hydrolysis

Most safety footwear (including REBEL) soles are made from polyurethane (PU). PU has the right mix of abrasion resistance, lightweight properties and cost effectiveness. However, PU is a chemical compound which can degrade over time if it is not used regularly, or if it is stored in a dark and/or humid environment without regular use. If your boots have sat unused for a long period of time (approx. three years) and then you start using them again, there is a high risk that the sole may disintegrate, this is known as hydrolysis. We cannot be held responsible for this disintegration if it results from long periods of storage.

Water damage

Most safety footwear is made from leather. Leather is NOT waterproof, or water-resistant, unless it has been specifically treated. If your boots are repeatedly exposed to water and mud, and they are not listed as water-resistant, they will eventually crack. We will view this as improper use, and will not replace any shoes which have become damaged as a result. If you polish your boots regularly, then the polish will protect against occasional – NOT regular water exposure.



Safety footwear care tips

- Avoid scuffing the upper leather or treading on sharp edges that could cut or tear the sole.
- Clean your shoes regularly.
- Remove excess mud and dirt and wipe clean with a damp cloth and allow drying thoroughly, preferably overnight at room temperature.
- Never force dry your shoes or boots if they become wet, as direct heat may distort the upper and cause the leather to crack.
- If your footwear has a leather upper apply a good quality wax polish or shoe cream regularly.
- If your footwear has a Nubuck or suede upper it should be gently rubbed with a stiff bristled brush.
- Soles should be checked regularly and stones and metal shavings removed from the cleats.
- If the laces become worn, replace immediately to ensure a good fit.



It is very important to note that damaged footwear will not provide the necessary protection you require, and should be replaced immediately if not in a suitable condition to protect your feet.

CODE RE219BK | SIZES 2-13
CLASSIC CHELSEA



NST

CODE RE219BR | SIZES 2-13
CLASSIC CHELSEA



NST

CODE RE219RB | SIZES 2-13
CLASSIC CHELSEA



NST

CODE RE221BK | SIZES 2-13
URBAN VELLIE



NST

CODE RE221BR | SIZES 2-13
URBAN VELLIE



NST

CODE RECLGPURU-BK | SIZES 2-14
CHEF-PRO



NST



CODE RECLGPURU-WH | SIZES 2-14
CHEF-PRO



NST



CODE RECLGPURU-GY | SIZES 2-14
CHEF-PRO



NST



CODE RECLGPUPU-BKG | SIZES 2-14
MEDI-PRO



NST



CODE RECLGPUPU-WH | SIZES 2-14
MEDI-PRO



NST



CODE RECLGPUPU-GR | SIZES 2-14
GARDN-PRO



NST



CODE RECLGPUPU-BK | SIZES 2-14
WORK-PRO



NST





OCCUPATIONAL FOOTWEAR

TECHNICAL FEATURE GUIDELINES

Occupational Footwear, as per ISO 20347, is designed for work environments where the risk of foot injury is low, but other occupational requirements, like slip resistance or comfort, are essential. The key characteristics include:

Special Features

-  **Anti-slip**
Superior anti-slip sole to minimise the risk of workplace accidents.
-  **Lightweight**
Super lightweight design without compromising durability.
-  **Fluid resistant**
Resistant to blood, fat and detergents. Cleat pattern specially designed to eject the accumulation of any dirt, mud, and food residues.
-  **Foot climate**
Designed to provide an optimal foot climate throughout the day.
-  **Hygienic**
Hygienic, anti-microbial and deodorising. They are washable, including the footbed.
-  **Posture enhancing**
Posture enhancing – resulting in reduced ankle, knee, hip and back pain, which enhances worker productivity.

Less Stringent Requirements

ISO 20347 footwear may include features like antistatic properties, resistance to fuel and oil, and slip resistance, but these features are not as comprehensive as those found in ISO 20345 footwear.

Technical Classifications for Occupational Footwear (ISO 20347):

OB	*Type I /**Type II	Basic requirements for occupational footwear without toecap protection.
O1	*Type I	Closed seat region, anti-static properties, energy absorption at the seat region.
O2	*Type I	As O1 + water penetration & absorption of the upper.
O3	*Type I	As O2 + penetration resistance & cleated outsole.
O4	*Type II	Antistatic properties & energy absorption at the seat region.
O5	*Type II	As O4 + penetration resistance & cleated outsole.

* Type I – Footwear is made from leather and other materials excluding all-rubber or all-polymeric footwear.
** Type II – All rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded footwear).

Cruiza care tips

- Wipe down with a soft damp cloth to remove dirt and dust.
- If outsoles are soiled or muddy, rinse under running water and use a soft bristle brush to remove any debris off the outsoles.
- Do not place into a washing machine or industrial washer to clean.
- The Cruiza Clogs are not autoclavable.
- Wipe dry and/or allow to air dry naturally.
- Do not place in front of a heater or open flame or place in direct sunlight to dry.
- Wearing of socks is a personal choice & depends on your preference, and comfort.
- However, we do recommend wearing socks with our Cruiza Clogs as they assist by providing a layer between the clog and your foot, easing friction and preventing blisters.
- With feet releasing moisture through sweat every day, socks assist by wicking moisture away from our feet and keeps them dry.
- It is therefore good hygiene practice to remove the comfort footbed at the end of your working day from the Cruiza clog.
- This allows both the footbed & clog to air out naturally, reducing moisture and odour build-up.
- This helps to maintain the overall hygiene and longevity of both the footbed and your clogs.
- Replace your footbed for increased comfort and longevity when needed.
- This clog is made from fluid PU.
- PU is biodegradable and therefore does hydrolyse over time.

 It is very important to note that damaged footwear will not provide the necessary protection you require, and should be replaced immediately if not in a suitable condition to protect your feet.





**YOUR
HARDEST
WORKING
SAFETY
GEAR**

 www.rebelsafetygear.com

PPE RANGE

REBEL
SAFETY GEAR

COLD & RAIN PROTECTION
**THERMOSKIN PLUS FREEZER
JACKET**



SIZE XS-4XL

CODE FR-JATSPUS

COLD & RAIN PROTECTION
THERMOSKIN FREEZER JACKET



SIZE S-4XL

CODE FR-JATS

COLD & RAIN PROTECTION
**THERMOSKIN FREEZER JACKET
W/ REFLECTIVE TAPE**



SIZE S-4XL

CODE FR-JATSREF

COLD & RAIN PROTECTION
**THERMOSKIN LITE FREEZER
JACKET**



SIZE S-4XL

CODE FR-JATL

COLD & RAIN PROTECTION
THERMOSKIN FREEZER TROUSERS



SIZE S-4XL

CODE FR-TRTS

COLD & RAIN PROTECTION
THERMOSKIN FREEZER SUIT



SIZE S-4XL

CODE FR-SUTS

PPE RANGE

REBEL
SAFETY GEAR

COLD & RAIN PROTECTION
RUBBERISED HI VIZ REFLECTIVE
LIME RAIN SUIT



SIZE S-4XL CODE RA-S-RUHVRL

COLD & RAIN PROTECTION
RUBBERISED HI VIZ REFLECTIVE
ORANGE RAIN SUIT



SIZE S-4XL CODE RA-S-RUHVRO

COLD & RAIN PROTECTION
RUBBERISED HI VIZ
REFLECTIVE NAVY RAIN SUIT



SIZE S-4XL CODE RA-S-RURNA

COLD & RAIN PROTECTION
RUBBERISED NAVY RAIN SUIT



SIZE S-4XL CODE RA-S-RUNA

COLD & RAIN PROTECTION
RUBBERISED YELLOW RAIN SUIT



SIZE S-4XL CODE RA-S-RUYE

LEATHER PROTECTION
CHROME LEATHER APRON
1 PIECE WITH METAL BUCKLES



SIZE 60X120 CODE AC-APCH-120M

PPE RANGE

REBEL
SAFETY GEAR

LEATHER PROTECTION
CHROME LEATHER APRON
1 PIECE WITH PLASTIC BUCKLES



SIZE 60X120 CODE AC-APCH-120P

LEATHER PROTECTION
CHROME LEATHER APRON
1 PIECE WITH METAL BUCKLES



SIZE 60X90 CODE AC-APCH-90M

LEATHER PROTECTION
CHROME LEATHER APRON
1 PIECE WITH PLASTIC BUCKLES



SIZE 60X90 CODE AC-APCH-90P

LEATHER PROTECTION
CHROME LEATHER ANKLE SPATS



CODE AC-SPCH-ANKLE

LEATHER PROTECTION
CHROME LEATHER KNEE SPATS



CODE AC-SPCH-KNEE

LEATHER PROTECTION
KIDNEY BELT – ELASTICIZED



SIZE S-2XL CODE AC-KIEL



PPE RANGE

REBEL
SAFETY GEAR

REBEL GLOVES
REBEL VERSA



SIZE S-2XL

CODE GP101-N

REBEL GLOVES
REBEL VERSA PLUS



SIZE S-2XL

CODE GP105-N

REBEL GLOVES
REBEL VERSA DURA



SIZE S-XL

CODE GP111-L

REBEL GLOVES
REBEL VERSA GRIP



SIZE S-2XL

CODE GL-GP120-N

REBEL GLOVES
REBEL CUT PRO



SIZE S-2XL

CODE GL-CUT501-N

REBEL GLOVES
REBEL CUT PRO PLUS



SIZE S-XL

CODE GL-CUT505-N

PPE RANGE

REBEL
SAFETY GEAR

PPE RANGE

REBEL
SAFETY GEAR

REBEL GLOVES
REBEL ENVIRO



SIZE M-XL CODE GL-ENVIRO101-N

REBEL GLOVES
REBEL AQUA



SIZE S-2XL CODE GL-AQUA101-L

LEATHER GLOVES
CHROME LEATHER CANDY
STANDARD GLOVES



SIZE XL CODE GL-CHRCAWRST

LEATHER GLOVES
CHROME LEATHER YELLOW CANDY
SUPERIOR WRIST GLOVES



SIZE XL CODE GL-CHRCAWRSU

REBEL GLOVES
REBEL THERMO



SIZE S-2XL CODE GL-THERM101-L

REBEL GLOVES
REBEL IMPACT



SIZE M-XL CODE GL-IMPA101-N

LEATHER GLOVES
GOAT SKIN VIP DRIVER
GLOVES



SIZE L-2XL CODE GL-GOAWRSU

LEATHER GLOVES
TIG FULL GRAIN LEATHER
GLOVES



SIZE XL-2XL CODE GL-TIGWR

LEATHER GLOVES
CHROME LEATHER GLOVES
WRIST LENGTH



SIZE XL CODE GL-CHRW

LEATHER GLOVES
CHROME LEATHER GLOVES
ELBOW LENGTH



SIZE XL CODE GL-CHREL

LEATHER GLOVES
GREEN LINED WELDERS WRIST
LENGTH GLOVES



SIZE XL CODE GL-WELGRWRST

LEATHER GLOVES
GREEN LINED WELDERS ELBOW
LENGTH GLOVES



SIZE XL CODE GL-WELGRELST

PPE RANGE

REBEL
SAFETY GEAR

PPE RANGE

REBEL
SAFETY GEAR

LEATHER GLOVES
YELLOW LINED WELDERS
SUPERIOR WRIST GLOVES



SIZE XL CODE GL-WELYEWSU

LEATHER GLOVES
YELLOW LINED WELDERS
SUPERIOR ELBOW GLOVES



SIZE XL CODE GL-WELYEELSU

DIPPED GLOVES
BLACK PU COATED GENERAL
HANDLING GLOVES



SIZE M-XL CODE GL-PUBKWR

DIPPED GLOVES
BLUE SANDY NITRILE GLOVES



SIZE M-XL CODE GL-NITBLSAWR

LEATHER GLOVES
RED HEAT STANDARD GLOVES



SIZE XL CODE GL-HEARELST

LEATHER GLOVES
RED HEAT SUPERIOR GLOVES



SIZE XL CODE GL-HEARELSU

DIPPED GLOVES
HI VIZ SANDY NITRILE GLOVES



SIZE M-XL CODE GL-NITHISAWR

DIPPED GLOVES
BLACK FULL DIP SANDY NITRILE
GLOVES



SIZE M-XL CODE GL-NITFDSAWR

LEATHER GLOVES
LEATHER RIGGER CANDY-
STRIPED GLOVES



SIZE XL CODE GL-RIGCAWR

DIPPED GLOVES
RED SMOOTH NITRILE COATED
GENERAL HANDLING GLOVES



SIZE M-XL CODE GL-NITRESMWR

DIPPED GLOVES
COTTON LINER GLOVES



SIZE L CODE GL-COTWRST

DIPPED GLOVES
ORANGE SANDY LATEX COLD
GLOVES



SIZE M-XL CODE GL-LATCOLDWR

PPE RANGE

REBEL
SAFETY GEAR

DIPPED GLOVES
GREEN LINED LATEX KNIT
WRIST GLOVES



SIZE M-L **CODE** GL-LATGRKW

DIPPED GLOVES
CUT 5 PU GLOVES



SIZE S-2XL **CODE** GL-CUTSWRPV

DIPPED GLOVES
CUT 5 NITRILE GLOVES



SIZE S-XL **CODE** GL-CUTSWRNI

DIPPED GLOVES
YELLOW RUBBER HOUSEHOLD
GLOVES



SIZE S-XL **CODE** GL-RUBHOUY

DIPPED GLOVES
GREEN NITRILE CHEMICAL GLOVES



SIZE S-2XL **CODE** GL-NITGRELST

DIPPED GLOVES
RED PVC MEDIUM WEIGHT GLOVES



SIZE XL **CODE** GL-PVCKWST

PPE RANGE

REBEL
SAFETY GEAR

DIPPED GLOVES
RED PVC HEAVY DUTY GLOVES



SIZE XL **CODE** GL-PVCKWHD

DIPPED GLOVES
RED PVC MEDIUM WEIGHT GLOVES



SIZE XL **CODE** GL-PVCELST

DIPPED GLOVES
BLUE NITRILE HEAVY DUTY
GLOVES



SIZE XL **CODE** GL-NITBLHDWR

DIPPED GLOVES
YELLOW COMAREX KNIT
WRIST STANDARD GLOVES



SIZE XL **CODE** GL-RUBCOMKWST

DIPPED GLOVES
YELLOW COMAREX KNIT WRIST
SUPERIOR GLOVES



SIZE XL **CODE** GL-RUBCOMKWSU

DIPPED GLOVES
CRAYFISH STANDARD KNIT
WRIST GLOVES



SIZE XL **CODE** GL-COTCRAKWST

PPE RANGE

REBEL
SAFETY GEAR

DIPPED GLOVES
CRAYFISH SUPERIOR KNIT WRIST
GLOVES



SIZE XL CODE GL-COTCRAKWSU

IMPACT GLOVES
IMPACT RESISTANT HI VIZ
GLOVES



SIZE L CODE GL-IMPWR-L

DISPOSABLE GLOVES
BLUE NITRILE EXAMINATION
GLOVES



SIZE S-XL CODE GL-NITBLDISWRST

REFLECTIVE WEAR
VALUE LIME REFLECTIVE VEST



SIZE S-3XL CODE RE-VELIVA-S

REFLECTIVE WEAR
VALUE ORANGE REFLECTIVE VEST



SIZE S-3XL CODE RE-VEORVA-S

REFLECTIVE WEAR
SOLID LIME REFLECTIVE VEST



SIZE S-3XL CODE RE-VELI-S

PPE RANGE

REBEL
SAFETY GEAR

REFLECTIVE WEAR
SOLID ORANGE REFLECTIVE VEST



SIZE S-3XL CODE RE-VEOR-S

REFLECTIVE WEAR
AIRTEX LIME REFLECTIVE BIB



SIZE L (fits all) CODE RE-BILJAI-L

REFLECTIVE WEAR
AIRTEX ORANGE REFLECTIVE BIB




SIZE L (fits all) CODE RE-BIORAI-L

REFLECTIVE WEAR
SILVER REFLECTIVE TAPE 50MM
WITH TC BACKING




SIZE 50MM CODE RE-TASI50BA

REFLECTIVE WEAR
LIME/SILVER REFLECTIVE
TAPE 50MM STITCHED



SIZE 50MM CODE RE-TALI50ST

REFLECTIVE WEAR
ORANGE/SILVER REFLECTIVE
TAPE 50MM STITCHED



SIZE 50MM CODE GL-TAOR50ST

PPE RANGE

REBEL
SAFETY GEAR

EYE PROTECTION
OPTI GEAR SPORTY GREY



CODE EY-SPECSPGY

EYE PROTECTION
OPTI GEAR SPORTY CLEAR



CODE EY-SPECSPCL

EYE PROTECTION
OPTI GEAR SPORTY CLEAR
ANTI-FOG



CODE EY-SPECSPCL-AF

EYE PROTECTION
OPTI GEAR EURO GREEN



CODE EY-SPECEUGR

EYE PROTECTION
OPTI GEAR EURO CLEAR



CODE EY-SPECEUCL

HEARING PROTECTION
EAR GEAR REUSABLE METAL
DETECTABLE CORDED EARPLUGS



CODE HE-EPREMDC

HEARING PROTECTION
EAR GEAR REUSABLE CORDED
EARPLUGS



CODE HE-EPREUC

HEARING PROTECTION
EAR GEAR DISPOSABLE CORDED
EARPLUGS



CODE HE-EPDISCO

HEARING PROTECTION
EAR GEAR DISPOSABLE UNCORTED
EARPLUGS



CODE HE-EPDISUN

HEARING PROTECTION
EAR GEAR DISPOSABLE UNCORTED
EARPLUGS – BULK



CODE HE-EPDISUN-B

HEARING PROTECTION
EAR GEAR EARMUFF WITH
ADJUSTABLE HEADBAND



CODE HE-EMHB1031

HEARING PROTECTION
EAR GEAR EARMUFF WITH
HELMET MOUNTING



CODE HE-EMHM2028

PPE RANGE

REBEL
SAFETY GEAR

PPE RANGE

REBEL
SAFETY GEAR

FACE PROTECTION
FACE GUARD 100



CODE AC-FGUARD

FACE PROTECTION
FACE SHIELD



CODE AC-FSHIELD

RESPIRATORY PROTECTION
AIRMAXX DISPOSABLE FFP2
DUST MASK



CODE RE-DISDU-FFP2

RESPIRATORY PROTECTION
AIRMAXX DISPOSABLE FFP2V
DUST MASK WITH VALVE



CODE RE-DISDU-FFP2V

FACE PROTECTION
DISPOSABLE FACE SHIELD



CODE AC-FSHIELDDISP

FACE PROTECTION
REBEL MOUTH SHIELD



CODE AC-MSHIELD

RESPIRATORY PROTECTION
AMX2AV AIRMAXX FFP2V
DUST MASK WITH ACTIVE
CARBON AND VALVE



CODE RE-DISDU-FFP2ACV

RESPIRATORY PROTECTION
REUSABLE HALF MASK
DOUBLE CARTRIDGE



CODE RE-HALMADBL

HEAD PROTECTION
HALO CLIMBING HELMET



CODE HS-CLHHEL

RESPIRATORY PROTECTION
AIRMAXX DISPOSABLE FFP1
DUST MASK



CODE RE-DISDU-FFP1

RESPIRATORY PROTECTION
GAS FILTER – A1



CODE RE-GFILT-A1

RESPIRATORY PROTECTION
GAS FILTER – LARGE – A1



CODE RE-GFILT-LG-A1

PPE RANGE

REBEL
SAFETY GEAR

RESPIRATORY PROTECTION
GAS FILTER – ABEK1



CODE RE-GFILT-ABEK1

RESPIRATORY PROTECTION
PARTICLE PREFILTER P3



CODE RE-PREFILT-P3

RESPIRATORY PROTECTION
PRE-FILTER RETAINER



CODE RE-FILTRET

FALL PROTECTION
BASIC FALL ARREST HARNESS



CODE HS-HARFA-01

FALL PROTECTION
BASIC FALL ARREST
2 POINT HARNESS



CODE HS-HAR2-POINT

FALL PROTECTION
DOUBLE LANYARD



CODE HS-DBLLAN

PPE RANGE

REBEL
SAFETY GEAR

FALL PROTECTION
HARNESS PARKING POINT
PLASTIC BUCKLE



CODE HS-HARFABUC

FALL PROTECTION
TEMPORARY HORIZONTAL
LIFELINE 20M



CODE HS-HZNLLN-20M

FALL PROTECTION
SELF RETRACTING DEVICE 6M



CODE HS-RETDEV-6M

FALL PROTECTION
WORK AT HEIGHT UTILITY BAG



CODE HS-HARBAG-BLK

REBEL APPAREL
MEN'S TECH GEAR TROUSERS –
GUN METAL



SIZE 28-48

CODE WW-TRREGM

REBEL APPAREL
LADIES TECH GEAR TROUSERS –
GUN METAL



SIZE 26-46

CODE WW-TRREGM-LAD

PPE RANGE

REBEL
SAFETY GEAR

REBEL APPAREL
TECH GEAR JACKET –
GUN METAL



SIZE S-3XL **CODE** WW-JKTREGM

REBEL APPAREL
TECH GEAR SHORTS –
GUN METAL



SIZE 28-48 **CODE** WW-SHREGM

REBEL APPAREL
MEN'S TECH GEAR TROUSERS
– DESERT DUST



SIZE 28-48 **CODE** WW-TRREDD

REBEL APPAREL
LADIES TECH GEAR TROUSERS
– DESERT DUST



SIZE 26-46 **CODE** WW-TRREDD-LAD

REBEL APPAREL
TECH GEAR JACKET –
DESERT DUST



SIZE S-3XL **CODE** WW-JKTREDD

REBEL APPAREL
TECH GEAR SHORTS –
DESERT DUST



SIZE 28-48 **CODE** WW-SHREDD

PPE RANGE

REBEL
SAFETY GEAR

REBEL APPAREL
MEN'S TECH GEAR TROUSERS –
RAVEN BLACK



SIZE 28-48 **CODE** WW-TRREBK

REBEL APPAREL
LADIES TECH GEAR TROUSERS –
RAVEN BLACK



SIZE 26-46 **CODE** WW-TRREBK-LAD

REBEL APPAREL
MEN'S TECH GEAR ACID FLAME
TROUSERS



SIZE 28-48 **CODE** WW-TRREAB

REBEL APPAREL
LADIES TECH GEAR ACID FLAME
TROUSERS



SIZE 26-46 **CODE** WW-TRREAB-LAD

REBEL APPAREL
TECH GEAR ACID FLAME JACKET



SIZE S-3XL **CODE** WW-JKTREAB

REBEL APPAREL
MEN'S TECH GEAR TROUSERS
ARCTIC WHITE



SIZE 28-48 **CODE** WW-TRREAW

PPE RANGE

REBEL
SAFETY GEAR

PPE RANGE

REBEL
SAFETY GEAR

REBEL APPAREL
MEN'S TECH GEAR TROUSERS
NIGHTGLO LIME AND GUN METAL



SIZE 28-48 CODE WW-TRREHV-NGL

REBEL APPAREL
MEN'S TECH GEAR TROUSERS
BASIX



SIZE 28-48 CODE WW-TRREBGG

REBEL APPAREL
WORK WEAR MEN'S JEANS –
DARK BLUE



SIZE 28-44 CODE WW-JNDB

REBEL APPAREL
WORK WEAR MEN'S JEANS –
MID BLUE



SIZE 28-44 CODE WW-JNMB

REBEL APPAREL
LADIES TECH GEAR TROUSERS
BASIX



SIZE 26-46 CODE WW-TRREBGG-LAD

REBEL APPAREL
TECH GEAR THERMOSHELL
JACKET



SIZE S-3XL CODE WW-JKTTSBK

REBEL APPAREL
WORK WEAR LADIES JEANS –
DARK BLUE



SIZE 28-42 CODE WW-JNDB-LAD

REBEL APPAREL
WORK WEAR LADIES JEANS –
MID BLUE



SIZE 28-42 CODE WW-JNMB-LAD

REBEL APPAREL
WORK WEAR T-SHIRT



SIZE S-3XL

WW-TSWTRE	☐
WW-TSRBRE	☐
WW-TSORE	☐
WW-TSNRE	☐
WW-TSBRE	☐

REBEL APPAREL
WORK WEAR GOLF SHIRT



SIZE S-3XL

WW-CSBRE	☐
WW-GSNRE	☐
WW-GSGRE	☐

BODY PROTECTION
PROGUARD 100 DISPOSABLE
COVERALL



SIZE S-3XL CODE AC-PGUARD100

BODY PROTECTION
PROGUARD TYPE 5/6 COVERALL



SIZE S-3XL CODE AC-PGUARD5/6

PPE RANGE

REBEL
SAFETY GEAR

BODY PROTECTION
TYVEK 500 XPERT COVERALL



M-3XL CODE TYV-CHF55

BODY PROTECTION
TYVEK EASYSAFE 200 COVERALL



SIZE S-3XL CODE TYV-200

EQUIPMENT AND ACCESSORIES
BARRIER NETTING



CODE AC-BNKN

REBEL
SAFETY GEAR

TECHNICAL CLASSIFICATIONS FOR
SAFETY FOOTWEAR (ISO 20345)

SB

Basic requirements
for safety footwear
with 200 J toecap for
impact & compression

S1

200 J toecap, closed
seat region, anti-static
properties, energy
absorption at the
seat region

S1P

As S1 +
penetration resistance

S2

As S1 +
water resistance

S3

As S2 +
penetration resistance

TECHNICAL CLASSIFICATIONS FOR
OCCUPATIONAL FOOTWEAR (ISO 20347)

*Type I /**
Type II
OB

Basic requirements
for occupational
footwear without
toecap protection

*Type I
O1

Closed seat region,
anti-static properties,
energy absorption
at the seat region

*Type I
O2

As O1 +
water penetration
& absorption of
the upper

*Type I
O3

As O2 +
penetration resistance
& cleated outsole

**Type II
O4

Antistatic properties
& energy absorption
at the seat region

*Type II
O5

As O4 +
penetration resistance
& cleated outsole

* Type I – Footwear is made from leather and other materials excluding all-rubber or all-polymeric footwear.
** Type II – All rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded footwear).

REBEL

SAFETY GEAR

REBEL SAFETY ICONS



200 Joules
Steel Cap



Slip Resistant



Chemical Resistant



Water Resistant



Anti-penetration



Reflective Tape



Metatarsal
Protection



Heat Resistant
up to 300°



Shock Absorbent



Genuine Leather



Microfiber



No Steel Toe Cap



Oil Resistant



HACCP Approved



Cold Resistant



Welding



Non-metallic



Arc Flash



Electrostatic
Discharge



Anti-static



Ladies



Zip



Medical